

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change	
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Total												
Injury and Violence												
Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet	96.2	96.8	97.4	93.9	88.6	91.9	89.9	92.5	93.2	Yes	Yes	
Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else	13.7	11.9	13.1	12.4	9.0	8.5	8.0	8.8	8.6	Yes	No	
Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol	44.8	45.7	46.3	43.1	39.1	39.6	40.6	41.9	38.4	Yes	No	
Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol	12.9	12.7	13.8	10.6	10.1	11.4	11.8	13.6	10.5	Yes	No	
Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days	30.5	25.0	23.0	21.1	15.8	15.9	18.2	19.2	18.7	Yes	Yes	
Percentage of students who carried a gun on one or more of the past 30 days		14.0	10.9	9.6	5.8	6.7	7.1	7.0	8.3	Yes	Yes	
Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days		10.6	9.0	8.1	7.6	5.7	6.3	6.2	6.4	Yes	No	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change	
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Total												
Injury and Violence												
Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school		10.5	8.8	7.2	7.9	8.5	10.0	8.4	11.5	No	No	
Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months		9.9	11.0	8.9	9.2	9.2	9.3	8.9	8.9	No	No	
Percentage of students who were in a physical fight one or more times during the past 12 months	46.9	42.8	40.2	40.0	38.3	41.0	43.0	42.9	39.2	No	No	
Percentage of students who were in a physical fight one or more times during the past 12 months in which they were injured and had to be treated by a doctor or nurse	6.2	4.5	4.4	5.0	4.4	3.9	3.6	5.4	5.6	No	Yes	
Percentage of students who were in a physical fight on school property one or more times during the past 12 months		19.8	19.0	18.3	16.7	15.1	16.5	17.3	14.9	Yes	No	
Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months					9.9	10.4	13.3	12.4	13.9	Yes	No	
Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to						10.5	9.2	8.0	10.9	No	Yes	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change	
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Total												
Injury and Violence												
Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months					34.4	32.4	30.4	30.2	32.2	Yes	No	
Percentage of students who seriously considered attempting suicide during the past 12 months	24.9	21.6	19.6	17.9	15.9	16.1	15.3	14.8	15.0	Yes	No	
Percentage of students who made a plan about how they would attempt suicide during the past 12 months	14.2	16.2	14.5	13.2	12.9	13.3	11.7	12.8	11.6	Yes	No	
Percentage of students who actually attempted suicide one or more times during the past 12 months	6.6	10.4	8.9	8.2	7.0	11.0	9.5	9.7	13.3	No	No	
Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse	2.6	2.8	3.1	3.1	2.6	3.0	1.7	2.6	3.5	No	No	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change	
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Total												
Tobacco Use												
Percentage of students who ever tried cigarette smoking, even one or two puffs	72.7	64.3	68.8	67.7	69.4	68.0	66.4	62.7	57.2	Yes	Yes	
Percentage of students who smoked a whole cigarette for the first time before age 13 years	23.4	22.1	19.9	17.2	19.8	19.4	18.8	18.9	17.4	Yes	No	
Percentage of students who smoked cigarettes on one or more of the past 30 days	13.9	17.3	23.6	22.5	25.0	17.8	18.1	17.5	15.0	Yes	Yes	
Percentage of students who smoked cigarettes on 20 or more of the past 30 days	4.1	4.7	6.1	5.8	6.1	3.6	4.0	2.5	2.8	Yes	Yes	
Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days	6.7	7.7	7.4	6.2	4.1	3.9	2.4	3.1	4.8	Yes	No	
Among students who were less than 18 years of age and who reported current cigarette use, the percentage who usually got their own cigarettes by buying them in a store or gas station during the past 30 days							19.4	21.0	24.8	22.7	No	No
Percentage of students who smoked cigarettes on school property on one or more of the past 30 days		6.5	9.8	9.6	8.3	5.3	5.1	5.0	4.9	Yes	No	
Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days							8.5	8.0	7.3	8.6	No	No

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Total											
Tobacco Use											
Among students who reported current cigarette use, the percentage who ever tried to quit smoking cigarettes during the past 12 months						53.6	53.6	56.6	55.1	No	No
Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days			2.8	2.4	1.1	2.5	2.7	2.4	4.2	Yes	Yes
Percentage of students who used chewing tobacco, snuff, or dip on school property on one or more of the past 30 days			1.6	1.3	1.0	1.3	1.3	1.4	2.0	No	No
Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days					18.7	16.3	17.0	19.5	16.9	No	No
Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days					29.3	21.8	22.0	23.5	20.3	Yes	No

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change	
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Total												
Alcohol and Other Drug Use												
Percentage of students who had at least one drink of alcohol on one or more days during their life	78.6	79.0	81.1	77.4	80.1	81.1	81.5	82.3	74.8	No	Yes	
Percentage of students who had their first drink of alcohol other than a few sips before age 13 years	33.2	34.5	36.3	35.8	34.9	34.3	29.6	34.3	29.2	Yes	No	
Percentage of students who had at least one drink of alcohol on one or more of the past 30 days	44.4	46.4	48.4	42.9	42.6	44.0	42.4	44.3	39.9	Yes	No	
Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days	22.9	24.7	23.9	20.6	21.1	20.7	20.8	21.9	20.6	Yes	No	
Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days		8.2	8.6	7.7	4.8	8.4	7.9	10.1	7.8	No	No	
Percentage of students who used marijuana one or more times during their life	29.0	29.0	40.9	45.3	45.0	43.5	47.4	47.1	40.3	Yes	Yes	
Percentage of students who tried marijuana for the first time before age 13 years	10.0	8.8	8.7	11.7	11.9	13.7	12.5	14.6	14.8	Yes	No	
Percentage of students who used marijuana one or more times during the past 30 days	10.6	13.7	21.7	24.5	23.2	20.4	22.4	21.6	21.2	Yes	Yes	
Percentage of students who used marijuana on school property one or more times during the past 30 days		4.6	8.2	9.8	6.7	6.4	7.7	6.5	7.8	No	No	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change	
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Total												
Alcohol and Other Drug Use												
Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life	5.8	5.1	7.3	7.8	8.8	10.4	11.9	11.9	12.6	Yes	No	
Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during the past 30 days	1.8	1.7	3.0	3.8	4.1	5.2	4.9	4.7	6.2	Yes	No	
Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life			18.7	16.7	13.1	11.3	8.7	10.1	12.0	Yes	Yes	
Percentage of students who used heroin one or more times during their life					1.8	2.4	2.4	2.6	5.2	Yes	No	
Percentage of students who used methamphetamines one or more times during their life					5.4	5.4	5.2	6.0	5.9	No	No	
Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life	3.6	2.0	3.8	2.5	3.2	3.9	4.2	4.6	5.2	No	No	
Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life			1.7	1.3	1.1	1.8	2.2	1.9	3.6	Yes	No	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Total											
Alcohol and Other Drug Use											
Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months		21.2	32.9	32.0	33.2	38.7	39.2	40.0	39.2	Yes	Yes

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change	
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Total												
Sexual Behaviors												
Percentage of students who ever had sexual intercourse	66.6	65.0	64.8	62.1	58.9	56.8	58.9	60.2	57.1	Yes	Yes	
Percentage of students who had sexual intercourse for the first time before age 13 years	21.1	19.9	18.0	16.1	13.6	12.2	10.4	11.8	13.3	Yes	Yes	
Percentage of students who had sexual intercourse with four or more people during their life	32.1	29.3	28.4	25.8	21.6	20.6	20.2	19.1	19.5	Yes	Yes	
Percentage of students who had sexual intercourse with one or more people during the past three months	47.5	45.2	45.5	43.7	40.7	38.8	41.8	40.6	40.4	Yes	Yes	
Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse	18.0	16.4	20.3	15.5	16.5	20.9	18.4	20.7	17.7	No	No	
Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse	48.5	60.2	58.3	60.8	56.1	56.6	52.7	59.1	59.6	No	No	
Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse	15.3	10.7	11.8	8.2	6.7	6.8	7.6	7.6	10.8	Yes	Yes	
Percentage of students who had ever been taught in school about AIDS or HIV infection	79.9	86.8	88.7	88.6	82.2	83.0	82.9	83.9	76.7	Yes	No	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Total											
Weight Management and Dietary Behaviors											
Percentage of students who were at risk for becoming overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)**					18.3	17.6	19.9	16.9	19.0	No	No
Percentage of students who were overweight (i.e., at or above the 95th percentile for body mass index, by age and sex)**					14.9	16.1	15.9	21.5	19.3	Yes	No
Percentage of students who described themselves as slightly or very overweight	29.7	31.0	26.8	25.9	29.7	32.9	31.5	33.2	29.9	Yes	No
Percentage of students who were trying to lose weight	36.8	39.1	40.5	41.0	44.4	47.2	48.1	48.8	46.8	Yes	Yes
Percentage of students who exercised to lose weight or to keep from gaining weight during the past 30 days			50.8	51.8	61.9	61.3	60.2	58.7	60.6	Yes	Yes
Percentage of students who ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days					37.7	38.7	37.8	35.8	35.0	Yes	No
Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days					12.6	12.2	11.3	10.9	10.9	No	No

**Overweight and at risk for becoming overweight prevalence estimates for 1999 differ slightly from previously published results because different BMI cut points were used in 1999 than in subsequent years. To make these prevalence estimates comparable, the 1999 prevalence estimates were recalculated using the updated BMI cut points.

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change	
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Total												
Weight Management and Dietary Behaviors												
Percentage of students who took any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days					5.7	9.1	7.8	6.1	6.2	No	Yes	
Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days			4.2	5.2	3.8	6.1	5.1	5.7	6.8	No	No	
Percentage of students who drank 100% fruit juices one or more times during the past seven days					81.4	81.6	81.1	81.4	79.8	No	No	
Percentage of students who ate fruit one or more times during the past seven days					82.5	76.6	79.2	76.7	80.2	Yes	Yes	
Percentage of students who ate green salad one or more times during the past seven days					52.4	50.0	47.3	45.7	45.6	Yes	No	
Percentage of students who ate potatoes one or more times during the past seven days					66.2	59.5	55.6	60.0	57.9	Yes	Yes	
Percentage of students who ate carrots one or more times during the past seven days					32.9	29.6	31.9	31.8	38.4	Yes	Yes	
Percentage of students who ate other vegetables one or more times during the past seven days					82.2	75.4	73.6	72.1	74.5	Yes	Yes	

**Overweight and at risk for becoming overweight prevalence estimates for 1999 differ slightly from previously published results because different BMI cut points were used in 1999 than in subsequent years. To make these prevalence estimates comparable, the 1999 prevalence estimates were recalculated using the updated BMI cut points.

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change	
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Total												
Weight Management and Dietary Behaviors												
Percentage of students who ate fruits and vegetables five or more times per day during the past seven days					20.3	14.9	16.1	16.4	17.9	No	Yes	
Percentage of students who drank three or more glasses per day of milk during the past seven days					12.1	9.8	8.7	9.3	7.4	Yes	No	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change	
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Total												
Physical Activity												
Percentage of students who watched three or more hours per day of TV on an average school day					60.7	55.4	57.5	58.1	50.8	Yes	No	
Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school	39.3	39.0	39.8	45.7	43.6	46.4	48.1	45.9	47.9	Yes	No	
Percentage of students who attended physical education (PE) classes daily in an average week when they were in school	32.6	31.9	24.6	18.8	7.7	10.3	11.2	29.3	25.9	Yes	Yes	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change	
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Male												
Injury and Violence												
Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet	95.4	97.1	97.3	94.9	90.6	94.6	92.0	94.8	94.7	Yes	Yes	
Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else	14.8	14.2	16.3	15.8	11.5	10.9	10.4	11.2	12.5	Yes	No	
Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol	47.1	48.9	49.5	44.3	42.0	39.6	42.3	42.1	36.4	Yes	No	
Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol	18.5	19.1	19.8	13.6	12.3	14.7	15.0	18.3	11.9	Yes	No	
Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days	45.4	37.3	33.8	30.8	24.2	23.8	27.0	29.6	29.5	Yes	Yes	
Percentage of students who carried a gun on one or more of the past 30 days		22.7	17.6	17.4	10.0	11.5	11.9	13.1	15.1	Yes	Yes	
Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days		14.9	12.5	8.5	10.9	7.6	8.0	8.8	8.5	Yes	No	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change	
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Male												
Injury and Violence												
Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school		10.6	9.0	7.7	8.8	7.9	8.1	8.0	9.5	No	No	
Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months		12.5	14.1	11.7	13.7	12.8	11.1	9.7	11.1	Yes	No	
Percentage of students who were in a physical fight one or more times during the past 12 months	53.1	51.1	48.5	46.2	48.8	49.8	49.1	50.5	47.3	No	No	
Percentage of students who were in a physical fight one or more times during the past 12 months in which they were injured and had to be treated by a doctor or nurse	8.4	5.8	6.3	6.3	6.4	6.0	4.3	6.1	7.6	No	No	
Percentage of students who were in a physical fight on school property one or more times during the past 12 months		26.9	26.8	23.5	23.5	20.2	20.4	21.4	18.9	Yes	No	
Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months					9.3	10.0	12.1	12.0	14.6	Yes	No	
Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to						8.0	7.1	6.4	9.4	No	No	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change	
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Male												
Injury and Violence												
Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months					26.5	25.8	20.2	20.9	22.2	Yes	No	
Percentage of students who seriously considered attempting suicide during the past 12 months	16.7	14.5	13.3	11.8	10.9	12.2	8.2	10.4	9.0	Yes	No	
Percentage of students who made a plan about how they would attempt suicide during the past 12 months	9.1	12.3	10.1	8.9	9.9	11.0	6.2	10.0	9.0	No	No	
Percentage of students who actually attempted suicide one or more times during the past 12 months	3.9	6.9	4.8	3.7	4.0	8.7	5.3	6.2	9.4	Yes	No	
Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse	1.6	1.5	1.7	1.7	2.4	3.8	1.3	1.2	4.3	No	No	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year										Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Male												
Tobacco Use												
Percentage of students who ever tried cigarette smoking, even one or two puffs	76.1	68.9	74.6	71.0	74.6	72.1	71.0	63.2	63.0		Yes	Yes
Percentage of students who smoked a whole cigarette for the first time before age 13 years	27.2	25.8	25.3	20.2	24.5	24.3	24.7	24.3	25.4		No	No
Percentage of students who smoked cigarettes on one or more of the past 30 days	16.5	21.7	28.4	27.3	29.4	20.0	20.5	20.8	18.0		Yes	Yes
Percentage of students who smoked cigarettes on 20 or more of the past 30 days	4.5	5.4	7.6	7.3	7.0	4.8	5.0	2.9	4.9		Yes	No
Percentage of students who smoked cigarettes on school property on one or more of the past 30 days		8.0	13.6	13.5	10.6	5.8	6.1	6.1	6.6		Yes	No
Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days						10.4	9.0	9.0	11.5		No	No
Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days			5.0	4.2	2.0	3.9	3.2	3.1	4.8		No	Yes
Percentage of students who used chewing tobacco, snuff, or dip on school property on one or more of the past 30 days			2.9	2.0	1.7	2.1	1.6	2.2	2.1		No	No
Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days					25.4	20.5	19.8	23.2	20.1		No	No

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year										Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Male												
Tobacco Use												
Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days					34.9	25.5	24.9	26.9	24.8		Yes	Yes

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change	
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Male												
Alcohol and Other Drug Use												
Percentage of students who had at least one drink of alcohol on one or more days during their life	80.1	81.8	81.8	74.3	79.1	80.7	79.7	79.7	70.2	Yes	Yes	
Percentage of students who had their first drink of alcohol other than a few sips before age 13 years	39.4	43.2	41.9	39.1	39.9	41.4	33.8	40.3	33.0	Yes	No	
Percentage of students who had at least one drink of alcohol on one or more of the past 30 days	49.1	51.1	50.2	43.1	43.4	43.0	43.2	44.0	37.2	Yes	No	
Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days	27.7	30.7	29.1	23.2	23.7	20.8	23.4	25.8	20.0	Yes	No	
Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days		8.9	10.6	8.4	4.8	9.7	8.9	11.0	9.0	No	No	
Percentage of students who used marijuana one or more times during their life	34.9	35.7	48.9	51.1	53.5	49.9	51.9	48.2	47.3	Yes	Yes	
Percentage of students who tried marijuana for the first time before age 13 years	13.1	12.3	13.4	15.9	16.9	18.5	17.6	18.3	21.4	Yes	No	
Percentage of students who used marijuana one or more times during the past 30 days	13.3	19.0	27.0	32.1	29.0	25.2	27.4	23.5	26.0	No	Yes	
Percentage of students who used marijuana on school property one or more times during the past 30 days		7.1	11.8	13.7	10.2	8.5	11.3	8.7	11.2	No	No	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change	
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Male												
Alcohol and Other Drug Use												
Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life	7.1	6.6	9.4	9.1	10.6	11.4	13.6	12.1	13.5	No	No	
Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during the past 30 days	2.4	2.5	4.1	5.6	5.6	5.5	5.7	4.8	6.4	No	No	
Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life			18.6	15.8	13.1	10.6	8.8	8.1	12.2	Yes	Yes	
Percentage of students who used heroin one or more times during their life					2.0	2.8	3.1	2.7	6.6	Yes	No	
Percentage of students who used methamphetamines one or more times during their life					6.2	6.0	5.2	5.8	7.2	No	No	
Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life	5.0	2.8	4.8	2.5	4.0	4.2	4.2	4.8	5.0	No	No	
Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life			2.6	1.6	1.4	2.9	2.1	2.6	3.6	No	No	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Male											
Alcohol and Other Drug Use											
Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months		26.9	41.0	38.3	40.0	47.9	43.8	41.9	43.5	Yes	Yes

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change	
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Male												
Sexual Behaviors												
Percentage of students who ever had sexual intercourse	76.9	75.1	73.2	69.3	67.2	62.8	64.4	68.1	67.3	Yes	Yes	
Percentage of students who had sexual intercourse for the first time before age 13 years	34.6	33.7	29.9	26.0	22.4	19.3	16.9	17.0	23.0	Yes	Yes	
Percentage of students who had sexual intercourse with four or more people during their life	46.7	45.2	38.6	37.2	30.3	28.8	27.8	25.6	30.1	Yes	Yes	
Percentage of students who had sexual intercourse with one or more people during the past three months	54.4	52.2	51.0	47.2	44.9	40.0	43.8	43.7	45.4	Yes	Yes	
Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse	19.5	22.0	26.9	20.6	20.5	25.1	25.1	26.4	25.4	No	No	
Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse	54.8	67.0	64.1	68.4	64.5	63.7	62.4	68.9	69.8	Yes	No	
Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse	11.6	8.6	10.2	6.4	4.7	6.6	6.7	6.2	9.6	Yes	Yes	
Percentage of students who had ever been taught in school about AIDS or HIV infection	78.6	87.5	87.7	88.1	80.7	80.5	81.9	84.4	75.8	Yes	No	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year										Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Male												
Weight Management and Dietary Behaviors												
Percentage of students who were at risk for becoming overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)**					18.4	15.0	18.3	15.9	16.7		No	No
Percentage of students who were overweight (i.e., at or above the 95th percentile for body mass index, by age and sex)**					20.1	19.8	18.7	23.7	22.9		No	No
Percentage of students who described themselves as slightly or very overweight	21.3	22.2	18.8	17.8	23.0	26.5	26.0	29.7	24.3		Yes	No
Percentage of students who were trying to lose weight	23.3	25.0	25.0	26.8	32.5	35.5	37.2	41.3	36.5		Yes	Yes
Percentage of students who exercised to lose weight or to keep from gaining weight during the past 30 days			43.6	45.4	59.3	56.6	57.1	58.1	58.4		Yes	Yes
Percentage of students who ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days					28.1	27.8	28.7	31.6	26.3		No	No
Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days					8.0	7.2	6.8	10.4	9.0		No	No

**Overweight and at risk for becoming overweight prevalence estimates for 1999 differ slightly from previously published results because different BMI cut points were used in 1999 than in subsequent years. To make these prevalence estimates comparable, the 1999 prevalence estimates were recalculated using the updated BMI cut points.

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change	
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Male												
Weight Management and Dietary Behaviors												
Percentage of students who took any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days					4.1	5.6	5.5	5.9	6.4	No	No	
Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days			3.0	3.3	2.7	3.5	3.0	4.7	5.1	No	No	
Percentage of students who drank 100% fruit juices one or more times during the past seven days					82.8	82.7	81.0	81.8	78.7	No	No	
Percentage of students who ate fruit one or more times during the past seven days					83.0	75.0	77.1	77.6	79.0	No	Yes	
Percentage of students who ate green salad one or more times during the past seven days					49.8	48.1	41.5	40.9	42.6	Yes	No	
Percentage of students who ate potatoes one or more times during the past seven days					68.2	57.3	52.9	60.4	55.2	Yes	Yes	
Percentage of students who ate carrots one or more times during the past seven days					32.5	28.0	32.1	34.6	38.0	No	No	
Percentage of students who ate other vegetables one or more times during the past seven days					82.2	74.0	71.7	70.4	72.9	Yes	Yes	

**Overweight and at risk for becoming overweight prevalence estimates for 1999 differ slightly from previously published results because different BMI cut points were used in 1999 than in subsequent years. To make these prevalence estimates comparable, the 1999 prevalence estimates were recalculated using the updated BMI cut points.

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year										Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Male												
Weight Management and Dietary Behaviors												
Percentage of students who ate fruits and vegetables five or more times per day during the past seven days					22.1	15.5	18.5	17.7	19.1		No	No
Percentage of students who drank three or more glasses per day of milk during the past seven days					15.2	14.5	11.7	11.3	8.5		Yes	No

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change	
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Male												
Physical Activity												
Percentage of students who watched three or more hours per day of TV on an average school day					62.7	54.1	58.7	54.5	49.5	Yes	No	
Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school	46.8	45.4	45.8	49.5	48.8	52.0	55.4	50.7	54.4	Yes	No	
Percentage of students who attended physical education (PE) classes daily in an average week when they were in school	37.5	35.4	28.6	20.3	10.1	13.1	14.7	33.6	31.1	Yes	Yes	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change	
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Female												
Injury and Violence												
Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet	97.1	96.4	97.7	92.7	86.1	88.4	87.5	89.6	91.1	Yes	Yes	
Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else	12.6	9.6	10.0	9.0	6.5	6.2	5.6	6.4	4.9	Yes	No	
Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol	42.6	43.0	43.2	42.0	35.9	39.5	39.2	41.7	40.2	Yes	No	
Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol	7.5	7.0	8.1	7.6	8.1	8.4	9.0	9.0	8.9	No	No	
Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days	16.4	13.9	12.9	11.6	8.0	8.6	9.9	9.0	8.5	Yes	Yes	
Percentage of students who carried a gun on one or more of the past 30 days		6.1	4.4	1.8	2.0	2.3	2.5	1.1	1.9	Yes	No	
Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days		6.7	5.6	7.5	4.5	3.9	4.8	3.7	4.4	Yes	No	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change	
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Female												
Injury and Violence												
Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school		10.4	8.6	6.8	7.1	9.0	11.9	8.7	13.5	Yes	No	
Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months		7.5	8.0	6.0	4.8	5.7	7.5	8.2	6.6	No	No	
Percentage of students who were in a physical fight one or more times during the past 12 months	41.1	35.0	32.3	34.2	28.3	32.8	37.0	35.3	31.5	No	No	
Percentage of students who were in a physical fight one or more times during the past 12 months in which they were injured and had to be treated by a doctor or nurse	4.1	3.2	2.6	3.8	2.6	1.9	2.9	4.8	3.4	No	No	
Percentage of students who were in a physical fight on school property one or more times during the past 12 months		13.1	11.7	13.3	10.3	10.3	12.8	13.1	11.0	No	No	
Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months					10.2	10.8	14.3	12.8	13.3	Yes	No	
Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to						12.9	11.3	9.7	12.5	No	No	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change	
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Female												
Injury and Violence												
Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months					41.9	38.7	40.1	39.2	41.5	No	No	
Percentage of students who seriously considered attempting suicide during the past 12 months	32.1	28.1	25.5	23.6	20.9	19.8	22.1	19.1	20.6	Yes	Yes	
Percentage of students who made a plan about how they would attempt suicide during the past 12 months	18.9	19.6	18.7	17.3	16.0	15.4	17.1	15.6	14.0	Yes	No	
Percentage of students who actually attempted suicide one or more times during the past 12 months	9.1	13.5	12.7	12.2	9.9	13.1	13.0	12.8	16.6	No	No	
Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse	3.6	3.9	4.4	4.2	2.9	2.3	2.0	3.8	2.7	Yes	No	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change	
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Female												
Tobacco Use												
Percentage of students who ever tried cigarette smoking, even one or two puffs	69.7	60.1	63.3	64.6	64.1	64.2	62.1	62.2	52.0	Yes	Yes	
Percentage of students who smoked a whole cigarette for the first time before age 13 years	19.8	18.6	14.6	14.2	14.9	14.9	13.3	13.6	9.9	Yes	No	
Percentage of students who smoked cigarettes on one or more of the past 30 days	11.4	13.2	19.0	18.0	20.9	15.8	16.1	14.4	12.1	Yes	Yes	
Percentage of students who smoked cigarettes on 20 or more of the past 30 days	3.8	4.1	4.5	4.4	5.3	2.5	3.0	2.1	0.9	Yes	Yes	
Percentage of students who smoked cigarettes on school property on one or more of the past 30 days		4.9	6.1	5.8	6.2	4.9	4.2	3.9	3.3	Yes	No	
Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days						6.8	7.2	5.5	6.0	No	No	
Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days			0.6	0.7	0.3	1.2	2.2	1.6	3.6	Yes	No	
Percentage of students who used chewing tobacco, snuff, or dip on school property on one or more of the past 30 days			0.4	0.5	0.3	0.5	1.1	0.6	1.7	Yes	No	
Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days					11.8	12.3	14.4	15.9	13.8	No	No	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year										Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Female												
Tobacco Use												
Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days					23.8	18.4	19.3	20.2	16.2		Yes	No

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change	
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Female												
Alcohol and Other Drug Use												
Percentage of students who had at least one drink of alcohol on one or more days during their life	77.1	76.6	80.3	80.3	81.0	81.6	83.4	84.6	79.0	Yes	Yes	
Percentage of students who had their first drink of alcohol other than a few sips before age 13 years	27.1	26.8	31.2	32.6	30.1	27.7	25.7	28.7	25.8	Yes	No	
Percentage of students who had at least one drink of alcohol on one or more of the past 30 days	40.0	42.4	46.6	42.7	41.5	45.0	41.8	44.6	42.4	No	No	
Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days	18.3	19.3	19.0	18.0	18.5	20.7	18.5	18.1	21.1	No	No	
Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days		7.5	6.7	6.7	4.9	7.1	7.0	9.2	6.7	No	No	
Percentage of students who used marijuana one or more times during their life	23.5	23.2	33.4	39.6	36.6	37.5	43.3	46.1	33.8	Yes	Yes	
Percentage of students who tried marijuana for the first time before age 13 years	6.9	5.7	4.3	7.3	6.9	9.2	7.8	11.1	8.6	Yes	No	
Percentage of students who used marijuana one or more times during the past 30 days	8.0	9.1	16.7	16.9	17.2	15.8	17.5	19.8	16.7	Yes	No	
Percentage of students who used marijuana on school property one or more times during the past 30 days		2.4	4.9	5.8	3.4	4.2	4.3	4.4	4.7	No	No	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change	
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Female												
Alcohol and Other Drug Use												
Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life	4.6	3.7	5.3	6.5	7.2	9.4	10.3	11.8	11.7	Yes	No	
Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during the past 30 days	1.2	0.9	1.9	1.9	2.8	4.8	4.2	4.5	6.1	Yes	No	
Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life			18.9	17.5	13.0	11.9	8.5	12.1	11.8	Yes	Yes	
Percentage of students who used heroin one or more times during their life					1.7	2.0	1.7	2.5	4.0	Yes	No	
Percentage of students who used methamphetamines one or more times during their life					4.6	4.9	5.3	6.1	4.7	No	No	
Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life	2.1	1.3	2.8	2.3	2.4	3.7	4.2	4.5	5.1	Yes	No	
Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life			0.9	1.0	0.8	0.8	2.2	1.1	3.4	Yes	No	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change	
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Female												
Alcohol and Other Drug Use												
Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months		16.2	25.3	25.9	26.5	30.2	34.7	38.1	35.2	Yes	No	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change	
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Female												
Sexual Behaviors												
Percentage of students who ever had sexual intercourse	57.3	56.2	56.9	55.3	50.8	51.4	53.6	52.7	47.7	Yes	No	
Percentage of students who had sexual intercourse for the first time before age 13 years	8.8	7.7	7.0	6.6	5.3	5.9	4.3	7.0	4.5	No	No	
Percentage of students who had sexual intercourse with four or more people during their life	18.9	15.2	18.9	14.9	13.3	13.3	13.1	12.9	9.7	Yes	No	
Percentage of students who had sexual intercourse with one or more people during the past three months	41.3	39.2	40.2	40.4	36.4	37.7	39.9	37.7	36.0	Yes	No	
Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse	16.1	9.7	12.7	9.8	12.3	16.9	11.5	14.6	9.2	No	No	
Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse	41.0	52.4	51.7	53.1	46.5	49.8	42.2	48.8	48.4	No	No	
Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse	19.7	12.9	13.7	10.0	9.1	6.9	8.6	9.1	12.1	Yes	Yes	
Percentage of students who had ever been taught in school about AIDS or HIV infection	81.1	86.3	89.7	89.2	83.4	85.3	84.0	83.4	77.6	Yes	No	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year										Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Female												
Weight Management and Dietary Behaviors												
Percentage of students who were at risk for becoming overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)**					18.2	20.1	21.4	18.0	21.2		No	No
Percentage of students who were overweight (i.e., at or above the 95th percentile for body mass index, by age and sex)**					9.7	12.6	13.1	19.3	15.7		Yes	No
Percentage of students who described themselves as slightly or very overweight	37.7	39.1	34.5	33.5	36.3	38.9	36.9	36.6	35.4		No	No
Percentage of students who were trying to lose weight	49.6	52.0	55.3	54.8	55.9	58.3	58.6	56.1	56.8		No	Yes
Percentage of students who exercised to lose weight or to keep from gaining weight during the past 30 days			57.4	57.9	64.6	65.7	63.0	59.3	62.8		No	Yes
Percentage of students who ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days					47.1	48.8	46.4	40.0	43.0		Yes	No
Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days					17.0	16.8	15.5	11.4	12.8		Yes	No

**Overweight and at risk for becoming overweight prevalence estimates for 1999 differ slightly from previously published results because different BMI cut points were used in 1999 than in subsequent years. To make these prevalence estimates comparable, the 1999 prevalence estimates were recalculated using the updated BMI cut points.

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year										Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Female												
Weight Management and Dietary Behaviors												
Percentage of students who took any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days					7.3	12.3	9.9	6.3	5.9		Yes	Yes
Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days			5.4	7.0	4.8	8.6	6.8	6.6	8.4		No	No
Percentage of students who drank 100% fruit juices one or more times during the past seven days					80.1	80.6	81.2	81.1	80.9		No	No
Percentage of students who ate fruit one or more times during the past seven days					81.9	78.2	81.0	75.9	81.7		No	No
Percentage of students who ate green salad one or more times during the past seven days					55.1	51.8	53.1	50.3	48.3		Yes	No
Percentage of students who ate potatoes one or more times during the past seven days					64.4	61.6	57.9	59.7	60.5		No	No
Percentage of students who ate carrots one or more times during the past seven days					33.3	31.1	31.6	29.1	38.7		No	Yes
Percentage of students who ate other vegetables one or more times during the past seven days					82.4	76.8	75.6	73.8	76.3		Yes	No

**Overweight and at risk for becoming overweight prevalence estimates for 1999 differ slightly from previously published results because different BMI cut points were used in 1999 than in subsequent years. To make these prevalence estimates comparable, the 1999 prevalence estimates were recalculated using the updated BMI cut points.

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year										Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Female												
Weight Management and Dietary Behaviors												
Percentage of students who ate fruits and vegetables five or more times per day during the past seven days					18.6	14.4	13.8	15.1	16.8		No	Yes
Percentage of students who drank three or more glasses per day of milk during the past seven days					9.2	5.4	5.8	7.4	6.4		No	No

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change	
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Female												
Physical Activity												
Percentage of students who watched three or more hours per day of TV on an average school day					58.8	56.6	56.5	61.6	52.1	No	No	
Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school	32.5	33.2	34.1	42.2	38.3	41.3	41.3	41.4	41.8	Yes	No	
Percentage of students who attended physical education (PE) classes daily in an average week when they were in school	28.2	28.6	20.7	17.5	5.3	7.7	8.2	25.3	21.1	Yes	Yes	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Black*											
Injury and Violence											
Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet	98.0	98.4	97.9	94.4	90.1	91.9	90.7	92.2	96.2	Yes	Yes
Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else	13.1	10.5	12.2	10.3	8.7	8.6	6.1	8.4	9.5	Yes	Yes
Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol	41.8	43.6	42.6	39.6	34.2	34.5	33.4	33.9	34.5	Yes	No
Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol	9.9	9.3	10.0	7.8	5.9	6.9	5.9	4.8	4.8	Yes	No
Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days	30.9	25.5	22.3	22.9	15.5	15.3	17.3	16.0	17.0	Yes	Yes
Percentage of students who carried a gun on one or more of the past 30 days		15.9	10.2	9.5	4.6	7.1	4.4	4.3	7.1	Yes	Yes
Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days		10.3	9.3	10.2	7.4	6.2	6.9	6.9	6.9	Yes	No

*Non-Hispanic.

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Black*											
Injury and Violence											
Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school		9.5	8.1	6.8	7.0	7.4	9.4	8.9	9.1	No	No
Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months		10.8	10.2	9.0	9.4	8.9	10.2	8.5	9.3	No	No
Percentage of students who were in a physical fight one or more times during the past 12 months	48.6	43.9	40.8	39.9	40.9	41.3	45.7	47.0	40.8	No	No
Percentage of students who were in a physical fight one or more times during the past 12 months in which they were injured and had to be treated by a doctor or nurse	6.1	4.5	4.2	4.9	5.2	3.3	2.7	3.9	5.7	No	No
Percentage of students who were in a physical fight on school property one or more times during the past 12 months		21.4	20.5	19.8	20.9	19.0	20.3	19.3	18.2	No	No
Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months					11.8	10.6	15.9	16.3	18.1	Yes	No
Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to						12.3	12.0	9.5	13.1	No	No

*Non-Hispanic.

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change	
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Black*												
Injury and Violence												
Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months					31.5	27.5	30.5	26.9	28.5	No	No	
Percentage of students who seriously considered attempting suicide during the past 12 months	17.6	16.6	16.6	13.1	11.6	12.9	12.1	12.7	10.0	Yes	No	
Percentage of students who made a plan about how they would attempt suicide during the past 12 months	9.1	11.8	12.1	9.9	8.7	10.9	10.5	10.7	9.0	No	No	
Percentage of students who actually attempted suicide one or more times during the past 12 months	3.6	7.3	7.9	5.3	5.2	7.9	6.2	8.7	12.7	Yes	Yes	
Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse	1.6	2.1	2.9	2.0	1.4	2.2	1.5	1.9	4.3	No	Yes	

*Non-Hispanic.

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change	
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Black*												
Tobacco Use												
Percentage of students who ever tried cigarette smoking, even one or two puffs	70.2	58.5	63.6	62.9	62.7	60.3	55.9	58.1	48.1	Yes	No	
Percentage of students who smoked a whole cigarette for the first time before age 13 years	20.6	16.1	15.7	13.4	15.0	16.8	14.0	14.9	14.5	No	No	
Percentage of students who smoked cigarettes on one or more of the past 30 days	6.4	8.1	16.0	14.5	14.7	10.1	6.9	9.5	9.0	Yes	No	
Percentage of students who smoked cigarettes on 20 or more of the past 30 days	1.5	0.9	2.2	2.2	2.9	2.1	1.7	1.1	2.4	No	No	
Percentage of students who smoked cigarettes on school property on one or more of the past 30 days		1.9	5.3	5.9	5.3	3.7	2.1	3.0	2.6	Yes	No	
Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days						4.7	4.8	4.5	9.4	Yes	No	
Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days			1.2	1.3	0.3	1.0	1.7	0.3	3.3	No	Yes	
Percentage of students who used chewing tobacco, snuff, or dip on school property on one or more of the past 30 days			0.6	0.6	0.3	0.7	0.4	0.3	0.4	No	No	
Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days					16.2	13.3	12.7	15.7	14.6	No	No	

*Non-Hispanic.

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year										Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Black*												
Tobacco Use												
Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days					20.8	15.7	14.2	18.3	17.2		No	No

*Non-Hispanic.

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Black*											
Alcohol and Other Drug Use											
Percentage of students who had at least one drink of alcohol on one or more days during their life	77.5	78.8	78.4	73.2	73.3	75.3	77.0	72.6	67.3	Yes	No
Percentage of students who had their first drink of alcohol other than a few sips before age 13 years	34.5	35.4	34.7	34.7	34.3	31.4	29.4	31.0	29.7	Yes	No
Percentage of students who had at least one drink of alcohol on one or more of the past 30 days	41.2	42.5	43.7	37.5	33.3	35.5	34.2	33.2	30.6	Yes	No
Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days	16.4	17.5	16.6	12.1	10.4	10.2	8.9	9.7	10.2	Yes	Yes
Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days		8.8	9.2	7.8	4.6	8.0	5.7	7.8	4.5	Yes	No
Percentage of students who used marijuana one or more times during their life	25.5	28.4	42.7	44.6	41.7	42.8	43.7	46.8	40.2	Yes	Yes
Percentage of students who tried marijuana for the first time before age 13 years	9.2	7.1	8.1	11.9	11.4	13.4	9.6	13.0	13.9	Yes	No
Percentage of students who used marijuana one or more times during the past 30 days	8.5	15.2	23.3	23.1	21.6	18.7	19.2	23.5	20.3	No	No
Percentage of students who used marijuana on school property one or more times during the past 30 days		5.0	8.8	9.7	6.8	4.2	4.6	6.3	7.4	Yes	Yes

*Non-Hispanic.

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change	
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Black*												
Alcohol and Other Drug Use												
Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life	1.8	0.8	1.7	1.1	1.3	1.4	1.5	1.4	2.9	No	No	
Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during the past 30 days	0.8	0.5	0.9	0.6	0.9	1.0	0.7	0.6	2.1	No	No	
Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life			12.2	9.3	6.8	7.3	6.8	5.2	8.8	Yes	Yes	
Percentage of students who used heroin one or more times during their life					0.8	1.4	0.4	0.8	2.3	No	No	
Percentage of students who used methamphetamines one or more times during their life					1.0	1.7	0.6	2.0	2.1	No	No	
Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life	3.1	0.8	2.2	1.6	2.5	1.8	1.2	1.6	3.1	No	No	
Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life			1.1	0.7	0.4	1.1	1.0	0.7	1.1	No	No	

*Non-Hispanic.

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change	
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Black*												
Alcohol and Other Drug Use												
Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months		15.9	26.1	23.2	23.4	33.9	30.5	29.3	28.7	Yes	No	

*Non-Hispanic.

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Black*											
Sexual Behaviors											
Percentage of students who ever had sexual intercourse	80.3	79.7	76.0	70.3	68.8	67.1	69.1	70.0	66.4	Yes	Yes
Percentage of students who had sexual intercourse for the first time before age 13 years	31.1	29.8	26.5	23.2	20.8	18.6	16.4	17.2	20.1	Yes	Yes
Percentage of students who had sexual intercourse with four or more people during their life	45.5	43.7	39.0	34.9	30.6	29.2	30.8	28.4	28.7	Yes	Yes
Percentage of students who had sexual intercourse with one or more people during the past three months	59.8	57.9	52.3	51.4	49.0	44.9	50.7	47.5	48.1	Yes	Yes
Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse	12.9	11.5	18.4	11.7	11.6	15.8	11.8	15.9	12.6	No	No
Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse	53.7	64.3	65.4	69.7	60.1	67.8	61.8	62.2	67.7	No	No
Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse	15.1	10.3	10.9	8.9	5.2	6.7	7.5	10.3	11.1	Yes	Yes
Percentage of students who had ever been taught in school about AIDS or HIV infection	84.0	90.9	89.4	87.6	82.9	84.1	87.8	88.4	84.6	No	No

*Non-Hispanic.

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year										Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Black*												
Weight Management and Dietary Behaviors												
Percentage of students who were at risk for becoming overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)**					18.8	17.3	20.7	16.4	22.8		No	No
Percentage of students who were overweight (i.e., at or above the 95th percentile for body mass index, by age and sex)**					15.0	16.0	15.8	20.3	19.3		Yes	No
Percentage of students who described themselves as slightly or very overweight	25.5	27.7	22.4	21.3	25.3	26.5	26.6	26.1	23.3		No	No
Percentage of students who were trying to lose weight	30.5	34.9	34.9	35.9	37.9	38.8	40.4	37.1	39.1		Yes	No
Percentage of students who exercised to lose weight or to keep from gaining weight during the past 30 days			45.2	46.0	58.7	57.0	55.3	49.1	56.5		Yes	Yes
Percentage of students who ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days					30.4	31.3	30.7	28.7	29.6		No	No
Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days					12.3	11.5	12.3	8.6	12.7		No	No

*Non-Hispanic.

**Overweight and at risk for becoming overweight prevalence estimates for 1999 differ slightly from previously published results because different BMI cut points were used in 1999 than in subsequent years. To make these prevalence estimates comparable, the 1999 prevalence estimates were recalculated using the updated BMI cut points.

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year										Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Black*												
Weight Management and Dietary Behaviors												
Percentage of students who took any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days					4.6	7.3	6.0	5.9	5.9		No	No
Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days			2.8	2.8	3.6	4.5	3.1	5.8	6.1		Yes	No
Percentage of students who drank 100% fruit juices one or more times during the past seven days					81.5	83.0	84.6	82.2	82.3		No	No
Percentage of students who ate fruit one or more times during the past seven days					78.4	66.6	72.4	65.9	72.7		No	Yes
Percentage of students who ate green salad one or more times during the past seven days					43.8	46.3	42.9	39.4	43.1		No	No
Percentage of students who ate potatoes one or more times during the past seven days					67.9	56.3	56.0	59.3	58.4		Yes	Yes
Percentage of students who ate carrots one or more times during the past seven days					23.2	21.7	21.1	23.3	29.5		Yes	Yes
Percentage of students who ate other vegetables one or more times during the past seven days					84.0	79.1	77.3	73.1	78.4		Yes	Yes

*Non-Hispanic.

**Overweight and at risk for becoming overweight prevalence estimates for 1999 differ slightly from previously published results because different BMI cut points were used in 1999 than in subsequent years. To make these prevalence estimates comparable, the 1999 prevalence estimates were recalculated using the updated BMI cut points.

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year										Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Black*												
Weight Management and Dietary Behaviors												
Percentage of students who ate fruits and vegetables five or more times per day during the past seven days					22.7	16.5	18.1	17.8	18.8		No	No
Percentage of students who drank three or more glasses per day of milk during the past seven days					12.2	10.6	7.5	7.2	7.3		Yes	No

*Non-Hispanic.

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year										Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Black*												
Physical Activity												
Percentage of students who watched three or more hours per day of TV on an average school day					72.8	65.3	71.4	71.3	65.0		No	No
Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school	40.5	41.8	39.6	48.3	45.4	49.7	51.8	51.5	50.4		Yes	No
Percentage of students who attended physical education (PE) classes daily in an average week when they were in school	32.5	32.4	26.5	17.8	7.5	9.1	13.8	32.5	29.7		Yes	Yes

*Non-Hispanic.

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year										Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Hispanic/Latino												
Injury and Violence												
Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet	94.4	95.6	97.0	95.0	90.8	92.7	91.5	93.7	92.7	Yes	No	
Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else	15.7	14.5	13.5	15.5	9.5	8.8	9.4	9.8	8.4	Yes	No	
Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol	51.0	51.5	54.3	49.4	46.2	44.1	46.7	47.3	40.9	Yes	No	
Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol	15.2	15.7	17.6	12.0	15.2	14.6	16.0	18.6	12.8	No	No	
Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days	30.0	23.2	22.4	19.2	16.4	16.0	19.0	20.0	18.5	Yes	Yes	
Percentage of students who carried a gun on one or more of the past 30 days		13.2	12.7	10.6	8.7	6.9	9.7	8.7	9.2	Yes	Yes	
Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days		10.0	7.8	5.0	7.7	5.5	6.1	5.7	5.3	Yes	No	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change	
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Hispanic/Latino												
Injury and Violence												
Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school		13.5	11.2	8.0	9.8	9.0	10.6	7.7	12.6	No	Yes	
Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months		9.6	11.8	6.8	8.5	9.1	8.5	8.3	7.5	No	No	
Percentage of students who were in a physical fight one or more times during the past 12 months	45.7	41.5	40.0	38.5	39.3	42.1	43.0	40.5	37.4	No	No	
Percentage of students who were in a physical fight one or more times during the past 12 months in which they were injured and had to be treated by a doctor or nurse	6.4	3.9	5.1	4.8	4.5	3.7	4.6	6.5	4.9	No	No	
Percentage of students who were in a physical fight on school property one or more times during the past 12 months		19.3	17.8	16.7	14.2	12.5	16.1	16.7	12.5	No	No	
Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months					7.7	9.9	11.0	10.1	10.8	No	No	
Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to						8.6	6.7	6.6	8.6	No	No	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change	
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Hispanic/Latino												
Injury and Violence												
Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months					38.5	36.3	30.2	32.2	33.0	Yes	No	
Percentage of students who seriously considered attempting suicide during the past 12 months	28.9	25.3	21.8	20.2	18.7	17.8	16.7	15.4	17.7	Yes	No	
Percentage of students who made a plan about how they would attempt suicide during the past 12 months	18.6	19.0	15.3	13.7	15.5	14.0	12.0	13.3	12.5	Yes	No	
Percentage of students who actually attempted suicide one or more times during the past 12 months	9.3	13.2	10.4	12.0	8.7	13.7	11.7	9.8	14.4	No	No	
Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse	3.2	3.5	2.7	4.3	3.7	3.8	1.4	2.4	3.3	No	No	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year										Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Hispanic/Latino												
Tobacco Use												
Percentage of students who ever tried cigarette smoking, even one or two puffs	76.9	67.7	74.4	72.1	77.6	73.7	73.4	65.1	60.8	Yes	Yes	
Percentage of students who smoked a whole cigarette for the first time before age 13 years	25.1	24.5	22.2	19.9	22.9	19.8	21.8	21.3	18.6	No	No	
Percentage of students who smoked cigarettes on one or more of the past 30 days	20.2	20.3	27.8	27.9	32.4	21.4	23.2	21.6	16.9	Yes	Yes	
Percentage of students who smoked cigarettes on 20 or more of the past 30 days	3.5	4.1	4.8	5.5	4.4	2.6	3.7	2.7	2.3	Yes	No	
Percentage of students who smoked cigarettes on school property on one or more of the past 30 days		7.8	10.6	10.2	9.2	4.8	6.0	5.8	5.4	Yes	No	
Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days						8.7	7.4	7.9	7.5	No	No	
Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days			2.5	2.4	0.9	2.4	3.0	3.0	3.8	Yes	No	
Percentage of students who used chewing tobacco, snuff, or dip on school property on one or more of the past 30 days			1.6	1.3	0.6	1.3	1.5	1.4	2.0	No	No	
Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days					22.6	18.2	20.0	22.2	16.6	No	No	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence										Linear Change	Quadratic Change
	Survey Year											
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Hispanic/Latino												
Tobacco Use												
Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days					34.1	23.8	24.6	25.4	20.4		Yes	No

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change	
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Hispanic/Latino												
Alcohol and Other Drug Use												
Percentage of students who had at least one drink of alcohol on one or more days during their life	78.7	78.7	85.3	81.2	86.8	85.1	83.9	87.7	76.8	No	Yes	
Percentage of students who had their first drink of alcohol other than a few sips before age 13 years	29.3	32.1	38.3	35.5	35.4	36.3	29.4	37.0	28.7	No	No	
Percentage of students who had at least one drink of alcohol on one or more of the past 30 days	46.3	49.4	53.9	47.0	51.6	49.6	46.4	50.7	44.9	No	No	
Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days	28.0	31.2	31.9	28.2	31.7	26.4	26.5	28.5	26.6	Yes	No	
Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days		8.8	9.5	7.6	6.3	8.4	9.8	11.9	8.7	No	No	
Percentage of students who used marijuana one or more times during their life	33.8	27.2	37.9	43.9	47.5	42.7	48.8	46.3	38.8	Yes	Yes	
Percentage of students who tried marijuana for the first time before age 13 years	10.3	9.7	9.9	10.4	13.7	13.0	14.7	15.6	13.7	Yes	No	
Percentage of students who used marijuana one or more times during the past 30 days	13.0	10.9	18.8	23.9	22.7	19.8	23.0	20.4	19.7	Yes	No	
Percentage of students who used marijuana on school property one or more times during the past 30 days		4.1	7.3	9.6	7.7	7.0	9.4	6.8	6.3	No	No	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change	
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Hispanic/Latino												
Alcohol and Other Drug Use												
Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life	11.6	9.6	14.0	14.0	16.9	17.0	18.9	18.2	17.8	Yes	No	
Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during the past 30 days	3.3	3.4	5.3	7.2	7.6	8.3	8.1	6.6	8.1	Yes	No	
Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life			25.7	22.0	19.3	14.1	9.5	12.6	11.5	Yes	Yes	
Percentage of students who used heroin one or more times during their life					2.6	3.0	3.9	3.3	6.1	Yes	No	
Percentage of students who used methamphetamines one or more times during their life					7.7	6.5	6.7	7.2	6.5	No	No	
Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life	3.8	2.8	4.6	2.9	4.3	5.2	5.8	6.4	4.9	Yes	No	
Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life			1.6	1.7	1.9	2.3	2.9	2.2	4.0	Yes	No	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Hispanic/Latino											
Alcohol and Other Drug Use											
Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months		26.2	39.9	39.7	42.3	42.8	44.4	46.2	43.9	Yes	No

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change	
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Hispanic/Latino												
Sexual Behaviors												
Percentage of students who ever had sexual intercourse	50.0	50.3	55.9	55.5	55.2	49.6	52.7	55.0	51.3	No	No	
Percentage of students who had sexual intercourse for the first time before age 13 years	11.1	10.7	9.4	9.1	9.0	7.4	7.0	8.5	8.8	Yes	Yes	
Percentage of students who had sexual intercourse with four or more people during their life	17.2	15.8	18.8	15.9	14.8	14.8	13.9	13.9	13.6	Yes	No	
Percentage of students who had sexual intercourse with one or more people during the past three months	31.6	32.5	41.5	39.8	36.8	35.2	35.9	36.6	35.7	No	No	
Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse	26.9	23.9	18.8	16.7	21.8	23.1	23.4	22.9	22.9	No	No	
Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse	34.7	52.2	54.0	48.2	46.9	43.1	43.9	55.0	53.8	No	Yes	
Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse	13.5	9.4	9.7	7.4	7.1	4.9	4.9	4.2	7.4	Yes	Yes	
Percentage of students who had ever been taught in school about AIDS or HIV infection	75.2	81.2	86.2	88.6	77.2	81.3	78.6	80.5	72.3	Yes	No	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year										Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Hispanic/Latino												
Weight Management and Dietary Behaviors												
Percentage of students who were at risk for becoming overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)**					20.0	19.2	19.8	18.0	18.0		No	No
Percentage of students who were overweight (i.e., at or above the 95th percentile for body mass index, by age and sex)**					16.7	17.3	18.0	23.1	19.6		No	No
Percentage of students who described themselves as slightly or very overweight	37.2	35.3	32.9	31.1	32.8	39.8	35.9	37.7	32.7		Yes	Yes
Percentage of students who were trying to lose weight	47.7	43.4	46.8	47.1	52.1	55.0	54.2	56.8	52.6		Yes	Yes
Percentage of students who exercised to lose weight or to keep from gaining weight during the past 30 days			56.4	57.6	65.3	65.6	64.0	64.1	61.6		Yes	Yes
Percentage of students who ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days					43.5	43.1	42.8	39.3	36.4		Yes	No
Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days					14.1	11.9	10.8	11.4	9.5		No	No

**Overweight and at risk for becoming overweight prevalence estimates for 1999 differ slightly from previously published results because different BMI cut points were used in 1999 than in subsequent years. To make these prevalence estimates comparable, the 1999 prevalence estimates were recalculated using the updated BMI cut points.

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year										Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Hispanic/Latino												
Weight Management and Dietary Behaviors												
Percentage of students who took any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days					6.8	10.7	8.8	5.2	4.9		Yes	Yes
Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days			5.6	7.3	4.8	7.4	6.2	4.9	6.4		No	No
Percentage of students who drank 100% fruit juices one or more times during the past seven days					81.0	79.9	79.2	81.2	78.0		No	No
Percentage of students who ate fruit one or more times during the past seven days					86.4	82.9	83.2	82.1	85.4		No	Yes
Percentage of students who ate green salad one or more times during the past seven days					55.2	49.2	47.5	46.7	44.1		Yes	No
Percentage of students who ate potatoes one or more times during the past seven days					60.8	60.3	53.5	58.8	56.1		No	No
Percentage of students who ate carrots one or more times during the past seven days					36.8	32.3	37.3	34.9	41.3		No	No
Percentage of students who ate other vegetables one or more times during the past seven days					76.1	70.5	68.2	69.3	69.4		Yes	No

**Overweight and at risk for becoming overweight prevalence estimates for 1999 differ slightly from previously published results because different BMI cut points were used in 1999 than in subsequent years. To make these prevalence estimates comparable, the 1999 prevalence estimates were recalculated using the updated BMI cut points.

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year										Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Hispanic/Latino												
Weight Management and Dietary Behaviors												
Percentage of students who ate fruits and vegetables five or more times per day during the past seven days					18.1	13.2	14.9	14.5	17.0		No	Yes
Percentage of students who drank three or more glasses per day of milk during the past seven days					11.0	8.7	9.0	10.2	6.5		No	No

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas High School Survey
Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Hispanic/Latino											
Physical Activity											
Percentage of students who watched three or more hours per day of TV on an average school day					54.9	51.2	51.4	53.3	45.5	Yes	No
Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school	39.5	37.9	43.5	45.1	45.4	44.9	48.4	43.8	46.5	No	No
Percentage of students who attended physical education (PE) classes daily in an average week when they were in school	32.9	31.9	23.0	16.2	4.1	8.2	7.9	28.0	23.4	Yes	Yes