

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas Middle School Survey
Trend Analysis Report

Question	Prevalence Survey Year					Linear Change	Quadratic Change					
	1991	1993	1995	1997	1999			2001	2003	2005	2007	
Total												
Injury and Violence												
Among students who rode a bicycle, the percentage who never or rarely wore a bicycle helmet					89.3	87.8	90.7	92.4	91.4	Yes	No	
Among students who used rollerblades or rode a skateboard, the percentage who never or rarely wore a helmet					88.6	86.8	88.7	90.1	89.5	No	No	
Percentage of students who never or rarely wore a seat belt when riding in a car					16.7	15.2	13.2	13.3	9.8	Yes	No	
Percentage of students who ever rode in a car driven by someone who had been drinking alcohol					60.8	57.5	58.2	54.5	48.8	Yes	No	
Percentage of students who ever carried a weapon, such as a gun, knife, or club					43.2	40.7	40.7	40.9	37.5	Yes	No	
Percentage of students who have ever been in a physical fight					74.1	71.2	72.1	72.9	67.0	No	No	
Percentage of students who were ever in a physical fight in which they were hurt and had to be treated by a doctor or nurse					8.9	7.3	7.3	7.2	8.2	No	No	
Percentage of students who ever seriously thought about killing themselves					24.3	25.7	26.9	30.6	24.5	No	Yes	
Percentage of students who ever made a plan about how they would kill themselves					15.2	14.8	16.0	18.7	16.5	No	No	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas Middle School Survey
Trend Analysis Report

Question	Prevalence Survey Year										Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Total												
Injury and Violence												
Percentage of students who ever tried to kill themselves					12.3	12.0	12.4	14.1	13.2		No	No

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas Middle School Survey
Trend Analysis Report

Question	Prevalence					Linear Change	Quadratic Change				
	Survey Year										
Total	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Tobacco Use											
Percentage of students who ever tried cigarette smoking, even one or two puffs					65.2	60.1	58.0	54.7	46.8	Yes	No
Percentage of students who smoked cigarettes on one or more of the past 30 days					18.3	17.9	16.6	16.8	12.2	Yes	No
Percentage of students who smoked cigarettes on 20 or more of the past 30 days					2.0	2.4	2.6	1.9	2.0	No	No
Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days					4.9	5.3	5.2	4.7	6.4	No	No
Among students who reported current cigarette use, the percentage who usually got their own cigarettes by buying them in a store or gas station during the past 30 days						13.3	9.1	7.5	13.6	No	Yes
Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days						9.1	7.7	6.0	6.2	Yes	No
Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days						5.4	5.2	5.7	6.0	No	No
Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days					16.4	16.7	14.8	18.1	14.3	No	No

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas Middle School Survey
Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Total											
Tobacco Use											
Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days						22.2	20.7	22.7	17.1	Yes	No

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas Middle School Survey
Trend Analysis Report

Question	Prevalence Survey Year										Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Total												
Alcohol and Other Drug Use												
Percentage of students who ever had a drink of alcohol, other than a few sips					65.3	65.7	68.2	66.1	61.8		No	Yes
Percentage of students who ever used marijuana					30.4	28.4	30.4	30.4	24.6		Yes	No
Percentage of students who ever used any form of cocaine, including powder, crack, or freebase					9.6	10.6	10.0	10.4	9.2		No	No
Percentage of students who ever sniffed glue, breathed the contents of spray cans, or inhaled any paints or sprays to get high					16.4	15.9	15.6	17.2	14.1		No	No

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas Middle School Survey
Trend Analysis Report

Question	Prevalence Survey Year										Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Total												
Sexual Behaviors												
Percentage of students who ever had sexual intercourse					38.8	35.8	38.5	38.6	30.2		No	Yes
Among students who ever had sexual intercourse, the percentage who used a condom during last sexual intercourse					61.8	65.3	67.1	74.9	71.7		Yes	No
Percentage of students who had ever been taught in school about AIDS or HIV infection					72.0	71.2	67.6	65.4	54.1		Yes	Yes

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas Middle School Survey
Trend Analysis Report

Question	Prevalence					Linear Change	Quadratic Change				
	Survey Year										
Total	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Weight Management and Dietary Behaviors											
Percentage of students who described themselves as slightly or very overweight					30.7	26.8	29.6	27.5	27.5	No	No
Percentage of students who were trying to lose weight					46.8	48.4	48.4	48.8	48.6	No	No
Percentage of students who had ever exercised to lose weight or to keep from gaining weight					69.7	66.0	71.9	68.1	71.1	No	No
Percentage of students who had ever eaten less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight					45.4	42.4	44.6	40.4	42.5	No	No
Percentage of students who had ever gone without eating for 24 hours or more to lose weight or to keep from gaining weight					20.1	21.5	23.0	19.2	18.2	No	Yes
Percentage of students who had ever taken diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight					9.5	9.8	9.7	6.9	8.4	No	No
Percentage of students who had ever vomited or taken laxatives to lose weight or to keep from gaining weight					8.6	7.2	8.5	7.2	9.0	No	No

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas Middle School Survey
Trend Analysis Report

Question	Prevalence Survey Year										Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Total												
Physical Activity												
Percentage of students who watched three or more hours per day of TV on an average school day					69.2	64.3	65.8	67.0	57.0		Yes	No
Percentage of students who attended physical education (PE) classes one or more days during an average school week					55.1	57.4	56.1	56.5	58.1		No	No
Percentage of students who attended physical education (PE) classes daily in an average week when they were in school					23.1	26.7	24.0	43.4	46.7		Yes	Yes

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas Middle School Survey
Trend Analysis Report

Question	Prevalence					Linear Change	Quadratic Change				
	Survey Year										
Male	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Injury and Violence											
Among students who rode a bicycle, the percentage who never or rarely wore a bicycle helmet					88.7	89.0	91.1	94.9	94.4	Yes	No
Among students who used rollerblades or rode a skateboard, the percentage who never or rarely wore a helmet					85.9	88.1	88.8	90.3	90.5	No	No
Percentage of students who never or rarely wore a seat belt when riding in a car					20.0	16.1	14.4	16.2	13.2	Yes	No
Percentage of students who ever rode in a car driven by someone who had been drinking alcohol					62.7	59.0	59.4	54.5	51.1	Yes	No
Percentage of students who ever carried a weapon, such as a gun, knife, or club					59.6	57.5	57.8	55.4	53.7	No	No
Percentage of students who have ever been in a physical fight					81.7	79.6	83.3	83.5	76.4	No	Yes
Percentage of students who were ever in a physical fight in which they were hurt and had to be treated by a doctor or nurse					11.8	10.0	9.3	8.3	10.2	No	No
Percentage of students who ever seriously thought about killing themselves					18.0	19.1	18.8	23.2	16.1	No	No
Percentage of students who ever made a plan about how they would kill themselves					10.9	10.0	10.8	14.5	11.7	No	No

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas Middle School Survey
Trend Analysis Report

Question	Prevalence Survey Year										Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Male												
Injury and Violence												
Percentage of students who ever tried to kill themselves					8.6	8.5	9.2	8.8	7.9		No	No

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas Middle School Survey
Trend Analysis Report

Question	Prevalence Survey Year										Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Male												
Tobacco Use												
Percentage of students who ever tried cigarette smoking, even one or two puffs					65.4	61.0	61.3	55.5	51.6		Yes	No
Percentage of students who smoked cigarettes on one or more of the past 30 days					21.4	20.1	19.0	17.3	15.5		Yes	No
Percentage of students who smoked cigarettes on 20 or more of the past 30 days					3.5	3.2	3.3	1.7	3.1		No	No
Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days						8.9	9.8	6.4	7.5		No	No
Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days						6.2	7.0	6.3	7.7		No	No
Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days					20.5	20.0	16.6	19.8	18.6		No	No
Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days						24.8	22.9	23.4	21.6		No	No

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas Middle School Survey
Trend Analysis Report

Question	Prevalence Survey Year										Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Male												
Alcohol and Other Drug Use												
Percentage of students who ever had a drink of alcohol, other than a few sips					68.5	66.7	69.7	65.2	64.9		No	No
Percentage of students who ever used marijuana					36.4	31.9	36.0	33.2	28.4		Yes	No
Percentage of students who ever used any form of cocaine, including powder, crack, or freebase					11.4	10.4	10.5	10.0	8.6		No	No
Percentage of students who ever sniffed glue, breathed the contents of spray cans, or inhaled any paints or sprays to get high					16.2	14.6	14.6	15.1	10.3		Yes	No

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas Middle School Survey
Trend Analysis Report

Question	Prevalence Survey Year										Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Male												
Sexual Behaviors												
Percentage of students who ever had sexual intercourse					45.3	46.5	50.5	50.9	40.4		No	Yes
Among students who ever had sexual intercourse, the percentage who used a condom during last sexual intercourse					60.7	67.2	71.0	78.9	72.9		Yes	No
Percentage of students who had ever been taught in school about AIDS or HIV infection					71.8	71.7	67.5	65.3	50.8		Yes	Yes

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas Middle School Survey
Trend Analysis Report

Question	Prevalence					Linear Change	Quadratic Change					
	Survey Year	1991	1993	1995	1997			1999	2001	2003	2005	2007
Male												
Weight Management and Dietary Behaviors												
Percentage of students who described themselves as slightly or very overweight						27.5	20.1	24.1	24.9	26.5	No	No
Percentage of students who were trying to lose weight						38.0	38.5	40.0	42.1	40.8	No	No
Percentage of students who had ever exercised to lose weight or to keep from gaining weight						64.8	61.0	66.9	64.6	67.8	No	No
Percentage of students who had ever eaten less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight						34.2	31.9	35.8	31.7	34.8	No	No
Percentage of students who had ever gone without eating for 24 hours or more to lose weight or to keep from gaining weight						13.1	15.2	17.7	14.8	14.1	No	Yes
Percentage of students who had ever taken diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight						5.8	6.0	7.2	5.5	6.2	No	No
Percentage of students who had ever vomited or taken laxatives to lose weight or to keep from gaining weight						5.5	5.1	6.9	3.7	6.9	No	No

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas Middle School Survey
Trend Analysis Report

Question	Prevalence Survey Year										Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Male												
Physical Activity												
Percentage of students who watched three or more hours per day of TV on an average school day					68.3	62.0	64.7	65.0	56.5		Yes	No
Percentage of students who attended physical education (PE) classes one or more days during an average school week					58.6	61.9	58.9	60.5	62.2		No	No
Percentage of students who attended physical education (PE) classes daily in an average week when they were in school					25.2	27.0	25.1	45.1	47.7		Yes	Yes

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas Middle School Survey
Trend Analysis Report

Question	Prevalence Survey Year					Linear Change	Quadratic Change					
	1991	1993	1995	1997	1999			2001	2003	2005	2007	
Female												
Injury and Violence												
Among students who rode a bicycle, the percentage who never or rarely wore a bicycle helmet					90.6	86.2	90.1	89.4	87.6	No	No	
Among students who used rollerblades or rode a skateboard, the percentage who never or rarely wore a helmet					91.0	86.0	88.4	90.0	88.5	No	No	
Percentage of students who never or rarely wore a seat belt when riding in a car					13.7	14.2	12.0	10.4	6.4	Yes	Yes	
Percentage of students who ever rode in a car driven by someone who had been drinking alcohol					59.0	55.9	56.9	54.5	46.5	Yes	No	
Percentage of students who ever carried a weapon, such as a gun, knife, or club					26.7	23.6	23.2	26.4	21.3	No	No	
Percentage of students who have ever been in a physical fight					66.4	62.5	60.5	62.1	57.4	Yes	No	
Percentage of students who were ever in a physical fight in which they were hurt and had to be treated by a doctor or nurse					6.2	4.6	5.0	6.3	6.1	No	No	
Percentage of students who ever seriously thought about killing themselves					30.3	32.3	35.1	37.8	32.9	No	No	
Percentage of students who ever made a plan about how they would kill themselves					19.4	19.5	21.3	22.7	21.3	No	No	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas Middle School Survey
Trend Analysis Report

Question	Prevalence Survey Year										Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Female												
Injury and Violence												
Percentage of students who ever tried to kill themselves					15.8	15.4	15.5	19.3	18.6		Yes	No

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas Middle School Survey
Trend Analysis Report

Question	Prevalence Survey Year										Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Female												
Tobacco Use												
Percentage of students who ever tried cigarette smoking, even one or two puffs					64.9	59.0	54.9	53.8	42.0		Yes	No
Percentage of students who smoked cigarettes on one or more of the past 30 days					15.5	15.8	14.3	16.3	8.9		Yes	Yes
Percentage of students who smoked cigarettes on 20 or more of the past 30 days					0.5	1.5	2.0	2.1	0.9		No	Yes
Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days						9.2	5.5	5.6	4.9		Yes	No
Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days						4.7	3.4	5.2	4.2		No	No
Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days					12.5	13.5	13.1	16.5	9.9		No	Yes
Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days						19.7	18.6	22.1	12.7		Yes	Yes

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas Middle School Survey
Trend Analysis Report

Question	Prevalence					Linear Change	Quadratic Change				
	1991	1993	1995	1997	1999			2001	2003	2005	2007
Female											
Alcohol and Other Drug Use											
Percentage of students who ever had a drink of alcohol, other than a few sips					62.0	64.6	66.9	66.8	58.8	No	Yes
Percentage of students who ever used marijuana					24.6	24.8	24.8	27.5	20.9	No	No
Percentage of students who ever used any form of cocaine, including powder, crack, or freebase					7.8	10.7	9.4	10.9	9.7	No	No
Percentage of students who ever sniffed glue, breathed the contents of spray cans, or inhaled any paints or sprays to get high					16.5	17.3	16.7	19.3	17.9	No	No

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas Middle School Survey
Trend Analysis Report

Question	Prevalence Survey Year										Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Female												
Sexual Behaviors												
Percentage of students who ever had sexual intercourse					32.6	25.3	26.7	26.6	20.0		Yes	No
Among students who ever had sexual intercourse, the percentage who used a condom during last sexual intercourse					62.8	61.6	60.4	68.0	69.1		Yes	No
Percentage of students who had ever been taught in school about AIDS or HIV infection					72.4	70.8	67.9	65.5	57.5		Yes	No

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas Middle School Survey
Trend Analysis Report

Question	Prevalence					Linear Change	Quadratic Change					
	Survey Year	1991	1993	1995	1997			1999	2001	2003	2005	2007
Female												
Weight Management and Dietary Behaviors												
Percentage of students who described themselves as slightly or very overweight						33.5	33.5	34.7	30.0	28.6	Yes	No
Percentage of students who were trying to lose weight						55.5	58.5	56.8	55.3	56.5	No	No
Percentage of students who had ever exercised to lose weight or to keep from gaining weight						74.3	71.0	76.8	71.5	74.3	No	No
Percentage of students who had ever eaten less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight						56.1	52.9	53.4	49.1	50.3	Yes	No
Percentage of students who had ever gone without eating for 24 hours or more to lose weight or to keep from gaining weight						26.6	27.9	28.5	23.7	22.3	Yes	No
Percentage of students who had ever taken diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight						13.1	13.5	12.3	8.1	10.6	Yes	No
Percentage of students who had ever vomited or taken laxatives to lose weight or to keep from gaining weight						11.6	9.2	10.2	10.7	11.1	No	No

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas Middle School Survey
Trend Analysis Report

Question	Prevalence Survey Year										Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Female												
Physical Activity												
Percentage of students who watched three or more hours per day of TV on an average school day					70.3	66.7	66.9	69.0	57.5		Yes	Yes
Percentage of students who attended physical education (PE) classes one or more days during an average school week					51.6	53.1	53.0	52.5	54.0		No	No
Percentage of students who attended physical education (PE) classes daily in an average week when they were in school					21.0	26.6	22.8	41.7	45.7		Yes	Yes

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas Middle School Survey
Trend Analysis Report

Question	Prevalence Survey Year					Linear Change	Quadratic Change					
	1991	1993	1995	1997	1999			2001	2003	2005	2007	
Black*												
Injury and Violence												
Among students who rode a bicycle, the percentage who never or rarely wore a bicycle helmet					91.0	91.9	92.2	92.7	94.3	No	No	
Among students who used rollerblades or rode a skateboard, the percentage who never or rarely wore a helmet					92.6	91.7	90.3	90.0	94.9	No	No	
Percentage of students who never or rarely wore a seat belt when riding in a car					13.8	13.2	11.5	10.1	6.8	Yes	No	
Percentage of students who ever rode in a car driven by someone who had been drinking alcohol					54.4	54.1	51.2	50.1	41.3	Yes	No	
Percentage of students who ever carried a weapon, such as a gun, knife, or club					42.7	37.3	37.7	35.3	34.1	Yes	No	
Percentage of students who have ever been in a physical fight					81.7	82.2	80.5	82.6	78.3	No	No	
Percentage of students who were ever in a physical fight in which they were hurt and had to be treated by a doctor or nurse					9.3	7.5	7.2	6.2	7.7	No	No	
Percentage of students who ever seriously thought about killing themselves					19.6	21.7	24.1	26.8	21.3	No	Yes	
Percentage of students who ever made a plan about how they would kill themselves					9.0	12.3	12.5	16.9	10.4	No	Yes	

*Non-Hispanic.

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas Middle School Survey
Trend Analysis Report

Question	Prevalence Survey Year										Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Black*												
Injury and Violence												
Percentage of students who ever tried to kill themselves					7.9	10.8	11.7	9.6	11.6		No	No

*Non-Hispanic.

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas Middle School Survey
Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change	
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Black*												
Tobacco Use												
Percentage of students who ever tried cigarette smoking, even one or two puffs					62.2	58.3	56.1	48.4	41.8	Yes	No	
Percentage of students who smoked cigarettes on one or more of the past 30 days					13.0	10.6	10.9	9.6	8.8	No	No	
Percentage of students who smoked cigarettes on 20 or more of the past 30 days					0.9	1.6	0.5	0.6	2.1	No	No	
Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days						5.8	4.8	4.9	4.7	No	No	
Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days						2.9	2.2	3.5	3.4	No	No	
Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days					14.9	11.5	12.4	18.6	12.7	No	No	
Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days						14.8	16.5	19.0	16.4	No	No	

*Non-Hispanic.

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas Middle School Survey
Trend Analysis Report

Question	Prevalence Survey Year										Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Black*												
Alcohol and Other Drug Use												
Percentage of students who ever had a drink of alcohol, other than a few sips					62.4	59.5	63.1	59.2	57.4		No	No
Percentage of students who ever used marijuana					26.3	25.3	25.6	26.2	23.3		No	No
Percentage of students who ever used any form of cocaine, including powder, crack, or freebase					4.4	4.4	3.2	4.1	4.6		No	No
Percentage of students who ever sniffed glue, breathed the contents of spray cans, or inhaled any paints or sprays to get high					8.3	11.5	13.4	15.2	13.6		Yes	No

*Non-Hispanic.

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas Middle School Survey
Trend Analysis Report

Question	Prevalence Survey Year										Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Black*												
Sexual Behaviors												
Percentage of students who ever had sexual intercourse					51.6	47.3	50.5	48.4	39.2		Yes	No
Among students who ever had sexual intercourse, the percentage who used a condom during last sexual intercourse					72.8	71.8	76.3	78.7	78.3		No	No
Percentage of students who had ever been taught in school about AIDS or HIV infection					74.8	80.4	75.2	77.6	66.1		Yes	Yes

*Non-Hispanic.

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas Middle School Survey
Trend Analysis Report

Question	Prevalence					Linear Change	Quadratic Change				
	Survey Year	1991	1993	1995	1997			1999	2001	2003	2005
Black*	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Weight Management and Dietary Behaviors											
Percentage of students who described themselves as slightly or very overweight					21.7	19.9	22.8	20.6	21.1	No	No
Percentage of students who were trying to lose weight					43.4	39.2	40.6	39.3	44.0	No	No
Percentage of students who had ever exercised to lose weight or to keep from gaining weight					67.3	59.9	68.2	60.1	68.5	No	No
Percentage of students who had ever eaten less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight					42.0	34.7	40.4	34.7	43.9	No	Yes
Percentage of students who had ever gone without eating for 24 hours or more to lose weight or to keep from gaining weight					20.8	18.9	22.4	19.4	18.5	No	No
Percentage of students who had ever taken diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight					7.1	7.5	8.7	5.1	7.2	No	No
Percentage of students who had ever vomited or taken laxatives to lose weight or to keep from gaining weight					8.7	6.6	9.3	5.2	8.5	No	No

*Non-Hispanic.

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas Middle School Survey
Trend Analysis Report

Question	Prevalence Survey Year										Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Black*												
Physical Activity												
Percentage of students who watched three or more hours per day of TV on an average school day					77.0	75.3	74.7	73.1	68.0		Yes	No
Percentage of students who attended physical education (PE) classes one or more days during an average school week					56.0	65.4	62.6	61.7	62.8		No	No
Percentage of students who attended physical education (PE) classes daily in an average week when they were in school					18.3	24.3	24.1	46.7	48.7		Yes	No

*Non-Hispanic.

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas Middle School Survey
Trend Analysis Report

Question	Prevalence Survey Year					Linear Change	Quadratic Change					
	1991	1993	1995	1997	1999			2001	2003	2005	2007	
Hispanic/Latino												
Injury and Violence												
Among students who rode a bicycle, the percentage who never or rarely wore a bicycle helmet					90.7	88.1	91.1	93.3	92.1	No	No	
Among students who used rollerblades or rode a skateboard, the percentage who never or rarely wore a helmet					88.1	86.8	88.4	91.3	88.3	No	No	
Percentage of students who never or rarely wore a seat belt when riding in a car					19.1	17.1	14.2	15.6	10.0	Yes	No	
Percentage of students who ever rode in a car driven by someone who had been drinking alcohol					65.9	60.8	62.8	58.4	53.3	Yes	No	
Percentage of students who ever carried a weapon, such as a gun, knife, or club					41.9	42.6	41.5	43.1	37.4	No	No	
Percentage of students who have ever been in a physical fight					68.6	64.7	66.2	66.4	61.3	No	No	
Percentage of students who were ever in a physical fight in which they were hurt and had to be treated by a doctor or nurse					8.8	6.8	6.9	7.3	6.9	No	No	
Percentage of students who ever seriously thought about killing themselves					26.3	26.2	27.5	32.2	25.7	No	No	
Percentage of students who ever made a plan about how they would kill themselves					19.0	16.0	17.4	19.1	18.6	No	No	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Dallas Middle School Survey
Trend Analysis Report**

Question	Prevalence Survey Year										Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Hispanic/Latino												
Injury and Violence												
Percentage of students who ever tried to kill themselves					14.6	13.2	11.7	15.9	13.5		No	No

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas Middle School Survey
Trend Analysis Report

Question	Prevalence Survey Year										Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Hispanic/Latino												
Tobacco Use												
Percentage of students who ever tried cigarette smoking, even one or two puffs					66.9	62.9	59.2	58.7	48.6		Yes	No
Percentage of students who smoked cigarettes on one or more of the past 30 days					20.2	23.1	19.1	20.6	13.2		Yes	Yes
Percentage of students who smoked cigarettes on 20 or more of the past 30 days					1.6	2.1	3.1	1.8	1.5		No	No
Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days						11.1	7.6	5.8	6.3		Yes	No
Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days						6.9	6.2	7.0	6.9		No	No
Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days					17.5	20.6	15.8	17.9	14.1		Yes	No
Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days						27.1	22.4	24.8	16.7		Yes	No

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas Middle School Survey
Trend Analysis Report

Question	Prevalence Survey Year										Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Hispanic/Latino												
Alcohol and Other Drug Use												
Percentage of students who ever had a drink of alcohol, other than a few sips					66.5	70.8	71.0	69.8	64.1		No	Yes
Percentage of students who ever used marijuana					31.3	31.3	34.0	32.8	24.8		No	Yes
Percentage of students who ever used any form of cocaine, including powder, crack, or freebase					12.7	15.0	13.5	13.8	11.8		No	No
Percentage of students who ever sniffed glue, breathed the contents of spray cans, or inhaled any paints or sprays to get high					23.2	18.6	15.7	17.9	14.4		Yes	No

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas Middle School Survey
Trend Analysis Report

Question	Prevalence Survey Year										Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Hispanic/Latino												
Sexual Behaviors												
Percentage of students who ever had sexual intercourse					29.1	30.8	31.0	34.1	26.5		No	Yes
Among students who ever had sexual intercourse, the percentage who used a condom during last sexual intercourse					48.8	58.6	59.3	72.7	68.9		Yes	No
Percentage of students who had ever been taught in school about AIDS or HIV infection					68.2	63.9	62.4	57.8	48.4		Yes	No

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas Middle School Survey
Trend Analysis Report

Question	Prevalence Survey Year					Linear Change	Quadratic Change					
	1991	1993	1995	1997	1999			2001	2003	2005	2007	
Hispanic/Latino												
Weight Management and Dietary Behaviors												
Percentage of students who described themselves as slightly or very overweight					35.9	31.5	33.6	30.8	29.0		Yes	No
Percentage of students who were trying to lose weight					49.6	54.9	53.4	54.7	51.2		No	No
Percentage of students who had ever exercised to lose weight or to keep from gaining weight					71.1	70.3	74.7	73.2	72.4		No	No
Percentage of students who had ever eaten less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight					46.7	47.4	45.8	43.2	41.3		Yes	No
Percentage of students who had ever gone without eating for 24 hours or more to lose weight or to keep from gaining weight					19.6	23.2	22.4	19.0	18.1		No	Yes
Percentage of students who had ever taken diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight					11.0	11.6	9.7	7.4	8.9		Yes	No
Percentage of students who had ever vomited or taken laxatives to lose weight or to keep from gaining weight					8.6	7.3	7.8	8.3	8.7		No	No

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Dallas Middle School Survey
Trend Analysis Report

Question	Prevalence Survey Year										Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Hispanic/Latino												
Physical Activity												
Percentage of students who watched three or more hours per day of TV on an average school day					65.5	61.0	61.2	66.4	52.2		Yes	Yes
Percentage of students who attended physical education (PE) classes one or more days during an average school week					54.1	52.0	51.7	54.1	54.7		No	No
Percentage of students who attended physical education (PE) classes daily in an average week when they were in school					26.4	29.1	23.9	41.3	45.9		Yes	Yes